

Rack Envy® Premium Protectant

SECTION 1

:============IDENTIFICATION==================================

Effective Date 12/31/10

Revised: N.A.

Name and Address:

Phone: (816)-867-2054

Emergency Phone: CHEMTREC (800)-424-9300

HEARTLAND SOLUTIONS, INC. 626 VALLEY RIDGE ROAD GRAIN VALLEY, MO. 64029

Chemical Name: Rack Envy® Premium Protectant

Synonyms: SOLUTION

Formula: SEE SECTION II

Chemical Family: SOLUTION

ID No.: NONE

NFPA Profile: Health 0; Flammability 1; Reactivity 0

SECTION 2

A. Composition/Information on Ingredients:

INGREDIENT	CAS#	WGT PERCENT IS LESS THAN	TLV-TWA	TLV-STEL	PEL-TWA	
HYDROGEN HYDROXIDE	NA	50.0%-70.0%	NA	NO INFO.	NO INFO.	
POLYMERIC MIXTURE	NA	40.0%-60.0%	NA	NA	NA	
W/NANO PARTICLES						
COMPLEX MICRO-EMULSION	NA	5.0%-8.0%	NA	NA	NA	
SURFACE ACTIVATOR/	NA	3.0%-5.0%	NA	NA	NA	
NEUTRALIZER						
SYNTHETIC NANO POLYMERIC	NA	2.0%-4.0%	NA	NA	NA	
PARTICLE MIX						
ORGANO FUNCTIONAL	NA	4.0-8.0%	NA	NA	NA	
SILOXANE NANO BLEND						

SECTION 3:=======FIRE AND EXPLOSION HAZARD

Flash Point (method used): 240°F

Lower Explosion Limit: NA Upper Explosion Limit: NA

Extinguishing Media: USE CO2, FOAM OR WATER FOG

Special Fire Fighting

Procedures:

USE WATER TO COOL FIRE EXPOSED SURFACES. WEAR SELF-

CONTAINED BREATHING APPARATUS APPROVED BY NIOSH.

Unusual Fire or

NONE KNOWN

Explosion Hazards:

Rack Envy® Premium Protectant

SECTION 4:=========HEALTH HAZARD DATA==========

A. Effects of a Single Overexposure by

1. Ingestion: DO NOT TAKE INTERNALLY. MAY CAUSE MILD DIARRHEA.

2. Inhalation: REMOVE TO FRESH AIR. IRRITATION FROM PROLONGED

EXPOSURE WITH LITTLE VENTILATION.

3. Skin Contact: NONE RECOGNIZED. THIS PRODUCT MAY CAUSE ALLERGIC

SKIN REACTIONS IN SENSITIVE INDIVIDUALS. IRRITATION.

4. Eye Contact: IRRITATION AND TEARING.

B. Effects of Overexposure:

Chronic Hazards: NONE KNOWN

C. Emergency and First Aid Procedure for

1. Ingestion: INDUCE VOMITING. DRINK LARGE AMOUNTS OF WATER. IF

NEEDED, GET IMMEDIATE MEDICAL ATTENTION.

2. Inhalation: REMOVE TO FRESH AIR. IF NEEDED, GET MEDICAL ATTENTION.

3. Skin Contact: FLUSH WITH LARGE AMOUNTS OF WATER AND SOAP. IF

IRRITATION PERSISTS, SEEK MEDICAL ATTENTION.

4. Eye Contact: IMMEDIATELY FLUSH WITH WATER LARGE AMOUNTS OF

WATER 15 MINUTES OR UNTIL IRRITATION SUBSIDES. GET

MEDICAL ATTENTION.

5. Primary Routes of Entry INHALATION, INGESTION, EYE CONTACT.

D. Other Health Information: NONE KNOWN

> Product Stability: STABLE Conditions to Avoid: NON KNOWN

Incompatibility: STRONG OXIDIZING AGENTS

Hazard Combustion or

Decomposition Products: NONE KNOWN.
Hazardous Polymerization: WILL NOT OCCUR.

Rack Envy® Premium Protectant

SECTION 6:=====EXPOSURE CONTROLS/PERSONAL PROTECTION=========

A. Respirator Protection:	NOT USUALLY REQUIRED. AVOID BREATHING MIST
B. Ventilation:	SUFFICIENT VENTILLATION, IN VOLUME AND PATTERN, SHOULD BE
	PROVIDED TO KEEP AIR CONTAMINATION BELOW CURRENT
	APPLICABLE OSHA PERMISSIBLE EXPOSURE LIMIT OR ACGHI'S TLV
	LIMIT.
C. Skin Protection:	RECOMMENDED FOR PROLONGED OR REPEATED CONTACT.
D. Eye Protection:	CHEMICAL GOGGLES WITH SIDE SHIELDS OR FACE SHIELD
	RECOMMENDED.
E. Other Protective	
Equipment:	REMOVE AND WASH CONTAMINATED CLOTHING BEFORE REUSE.
F. Hygienic Practices:	WASH HANDS AFTER EACH USE.

SECTION 7:========ENVIRONMENTAL

A. Spill or Leak Procedures: DIKE SPILL AND COLLECT FOR DISPOSAL. SPILL MAY BE

ABSORBED ONTO APPROPRIATE ABSORBANT MATERIAL.

SOAK LIQUIDS WITH SAWDUST OR RAGS AND REMOVE. FLUSH B. Waste Disposal:

WITH WATER IF POSSIBEL. PLEASE FOLLOW FEDERAL, STATE

AND LOCAL REGULATIONS FOR DISPOSAL.

C. Other Environmental Data: PLEASE CALL NON-EMERGENCY TELEPHONE NUMBER ON PAGE

1 IF ECOLOGICAL INFORMATION IS REQUIRED

SECTION 8:=========STORAGE AND

A. Electrostatic Accumulation Hazard: UNKNOWN, USE PROPER GROUNDING PROC.

B. Storage Temperature: KEEP IN A DRY, COOL PLACE
C. Storage/Transport Pressure: ATMOSPHERIC

D. Loading/Unloading Temperature: KEEP FROM FREEZING

E. Loading/Unloading Viscosity: N.A.

Rack Envy® Premium Protectant

F. Handling and KEEP CONTAINER CLOSED. STORE ABOVE 40F AND IN A DRY, Storage: WELL VENTILATED PLACE AWAY FROM INCOMPATIBLE

MATERIALS. DO NOT HANDLE OR STORE NEAR AN OPEN FLAME, HEAT OR OTHER SOURCE OF IGNITION. PROTECT MATERIAL FROM DIRECT SUNLIGHT. IT IS NOT KNOWN IF THIS PRODUCT IS A STATIC ACCUMULATOR. THEREFORE, USE PROPER GROUNDING PROCEDURES. KEEP CONTAINER TIGHTLY CLOSED

WHEN NOT IN USE.

G. Other Precautions: THIS PRODUCT SHOULD BE USED ONLY IN ACCORDANCE WITH

THE INSTRUCTIONS PROVIDED BY THE TECHNICAL

REPRESENTATIVE SERVICING THE FACILITY.

SECTION 10:========REGULATORY INFORMATION===================

THIS PRODUCT CONTAINS THE FOLLOWING SUBSTANCES SUBJECT TO THE REPORTING REQUIREMENTS OF SECTION 313 OF TITLE III OF THE SUPERFUND AMENDMENTS AND REATHORIZATION ACT OF 1986 AND 40 CFR PART 372.

CHEMICAL NAME	CAS NUMBER	WT/WT %
NONE		

SI	EC	TI	OI	N '	11	:==	==:	===	===	===	==	==	==	DI	SF	o	S	٩L					
C	ON	IS	D	EF	3,4	TIC)NS	3==	===	2 == ==	==		==	==	==	=:	==	==	==	===	==	==	=

PLEASE REFER TO SECTIONS 4, 5, 6 AND 10 FOR DISPOSAL AND REGULATORY INFORMATION.

The data contained in this Material Safety Data Sheet has been prepared based upon an evaluation of the ingredients contained in the product, their concentration in the product and potential interactions. The information is offered in good faith and is believed to be accurate. It is furnished to the customer who is urged to study it carefully to become aware of hazards, if any, in the storage, handling, use and disposal of the product; and to insure their employees are properly informed and advised of all safety precautions required. The information is furnished for compliance with the "Occupational Safety and Health Act" of 1970, the "Hazards Communication Act" of 1983 as well as various other Federal, State and Local regulations. Use or dissemination of all or part of this information for any other purpose is illegal.